

SAFETY DATA SHEET

Product name:	FeF Strong Cetrime Solution 40% BP Pharma with ethanol	Page:	1/11
Revision:	2019-11-05	Print date:	2022-11-03
		SDS-ID:	GB-EN/14.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: FeF Strong Cetrime Solution 40% BP Pharma with ethanol
Container size: 200 kg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Preservative and active ingredient in the personal care and pharmaceutical industries.

Identified use(s): Formulation & (re)packing of substances and mixtures
 Use in personal care products.
 Use of articles with personal care products, pharmaceuticals.
 Formulation of articles with cosmetics, personal care products, pharmaceuticals.

Uses advised against: None.

1.3. Details of the supplier of the safety data sheet

Supplier: Novo Nordisk Pharmatech A/S
 Københavnsvej 216
 DK-4600 Køge
 Tel:+45 56 67 10 00
 www.novonordiskpharmatech.com

Supplier: Azelis UK Limited
 Axis House, Tudor Rd, Runcorn
 WA7 1BD Cheshire
 United Kingdom

Responsible for safety data sheet authoring: nnprinfo@novonordiskpharmatech.com

1.4. Emergency telephone number

Emergency telephone: NHS: 111
 + 45 56 67 10 00 (Only during office hours)

SAFETY DATA SHEET

Product name: FeF Strong Cetrimide Solution 40% BP Pharma with ethanol Page: 2/11
Revision: 2019-11-05 Print date: 2022-11-03
SDS-ID: GB-EN/14.0

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: The product is classified: Acute Tox. 4;H302 - Skin Irrit. 2;H315 - Eye Dam. 1;H318 - STOT SE 3;H335 - STOT RE 2;H373 - Aquatic Acute 1;H400 - Aquatic Chronic 1;H410

2.2. Label elements



Danger

Contains: Reaction mass of dodecyltrimethylammonium bromide and tetradonium bromide

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

P260 Do not breathe vapour/spray.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear eye and face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P273 Avoid release to the environment.

2.3. Other hazards

This product is not flammable.
Please note that although this material has a flash-point below 55°C, it does not maintain combustion.

PBT/vPvB: This product does not contain any PBT or vPvB substances.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: quaternary ammonium compounds, organic solvent and water.

This product is a UVCB substance and its composition will be variable, so reported properties may vary or require a range of values to describe them.

SAFETY DATA SHEET

Product name: FeF Strong Cetrime Solution 40% BP Pharma with ethanol Page: 3/11
Revision: 2019-11-05 Print date: 2022-11-03
SDS-ID: GB-EN/14.0

CLP:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
10	64-17-5	200-578-6	01-2119457610-43-0002	Ethanol	Flam. Liq. 2;H225	
40	-	946-512-6	01-2120765182-56-0000	Reaction mass of dodecyltrimethylammonium bromide and tetradonium bromide	Acute Tox. 4;H302 Skin Irrit. 2;H315 Eye Dam. 1;H318 STOT SE 3;H335 STOT RE 2;H373 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	

<u>Chemical name:</u>	<u>SCL</u>	<u>M (ac)</u>	<u>M (chr)</u>
Ethanol	-	-	-
Reaction mass of dodecyltrimethylammonium bromide and tetradonium bromide	Skin Irrit. 2;H315: C ≥ 2.5%	100	1

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

<u>Inhalation:</u>	Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions.
<u>Skin contact:</u>	Remove contaminated clothes and rinse skin thoroughly with water. In case of eczema or other skin disorders: Seek medical attention and bring these instructions.
<u>Eye contact:</u>	Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Continue flushing during transport to hospital. Bring along these instructions.
<u>Ingestion:</u>	Immediately rinse mouth and drink 1-2 glasses of water. Keep person under observation. If uncomfortable: Transportation to hospital. Bring along these instructions.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SAFETY DATA SHEET

Product name: FeF Strong Cetrimide Solution 40% BP Pharma with ethanol Page: 4/11
Revision: 2019-11-05 Print date: 2022-11-03
SDS-ID: GB-EN/14.0

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.(HBr, NOx)

5.3. Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation of vapours and spray mist and contact with skin and eyes.
Follow precautions for safe handling described in this safety data sheet.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Small spillages: Absorb spillage with suitable absorbent material.
Large spillages: Dam and absorb spillages with sand, earth or other non-combustible material.
Flush contaminated area with plenty of water.

6.4. Reference to other sections

References: For personal protection, see section 8.
For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices.
Avoid inhalation of vapours and spray mist and contact with skin and eyes.
Immediately change drenched clothing.

Technical measures: Keep the workplace clean. Use work methods which minimise aerosol production.

Technical precautions: Provide easy access to water supply and eye wash facilities.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: Follow rules for flammable liquids.

Storage conditions: Store in tightly closed original container in a well-ventilated place. Do not store near heat sources or expose to excessive temperatures.

7.3. Specific end use(s)

Specific use(s): Not relevant.

SAFETY DATA SHEET

Product name: FeF Strong Cetrime Solution 40% BP Pharma with ethanol Page: 5/11
Revision: 2019-11-05 Print date: 2022-11-03
SDS-ID: GB-EN/14.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

<u>CAS-No.:</u>	<u>Chemical name:</u>	<u>As:</u>	<u>Exposure limits:</u>	<u>Type:</u>	<u>Notes:</u>	<u>References:</u>
64-17-5	Ethanol	-	1000 ppm 1920 mg/m3	TWA	-	EH40

Notes: EH40: EH40/2005.

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours and spray mist. An eye wash bottle must be available at the work site.

Personal protection: Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation use suitable respirator. It is recommended to use respiratory equipment with combination filter, type A2/P3. The use of filtering respirators should be limited to max. 3 hours per day.

Hand protection: Wear protective gloves. Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of contact.

Hygiene measures: Wash hands after contact.

Environmental Exposure Controls: Not available.

SAFETY DATA SHEET

Product name: FeF Strong Cetrime Solution 40% BP Pharma with ethanol Page: 6/11
Revision: 2019-11-05 Print date: 2022-11-03
SDS-ID: GB-EN/14.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: Clear and colourless to slightly yellow viscous solution.
Odour: Odour of alcohol.
pH: Not available.
Boiling point: Not available.
Flash point: 49°C
Explosive limits Not available.
Vapour pressure: Not available.
Relative density: 1.0
Solubility: Miscible with: Water and lower alcohols.
Decomposition temperature (°C): Not available.

9.2. Other information

Other data: Please note that although this material has a flash-point below 55°C, it does not maintain combustion.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: None known.

10.2. Chemical stability

Stability: Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions/materials to avoid: Heating.

10.5. Incompatible materials

Incompatible materials: Strong oxidising substances.

10.6. Hazardous decomposition products

Hazardous decomposition products: If heated to more than 200°C, the following substance(s) will be released: Alkyl bromides. Amines.

SAFETY DATA SHEET

Product name: FeF Strong Cetrime Solution 40% BP Pharma with ethanol Page: 7/11
Revision: 2019-11-05 Print date: 2022-11-03
SDS-ID: GB-EN/14.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral): Harmful if swallowed.

Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Causes skin irritation.

Serious eye damage/irritation: Causes serious eye damage.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: May cause respiratory irritation.

STOT - Repeated exposure: May cause damage to organs through prolonged or repeated exposure if swallowed.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: May cause respiratory irritation. In high concentrations, vapours are narcotic and may cause headache, fatigue, dizziness and nausea.

Skin contact: Irritating and degreasing.

Eye contact: Risk of serious damage to eyes. Immediate first aid is necessary.

Ingestion: Causes stomach pain, vomiting, diarrhoea and convulsions. Harmful if swallowed.

Toxicological data: Reaction mass of dodecyltrimethylammonium bromide and tetradonium bromide: LD50 (oral, rat): 390 mg/kg

11.2. Information on other hazards

Endocrine disrupting properties: The substance is not identified as having endocrine disrupting properties.

SAFETY DATA SHEET

Product name: FeF Strong Cetrime Solution 40% BP Pharma with ethanol Page: 8/11
Revision: 2019-11-05 Print date: 2022-11-03
SDS-ID: GB-EN/14.0

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: Very toxic to aquatic life with long lasting effects.

Reaction mass of dodecyltrimethylammonium bromide and tetradonium bromide:
M-factor (acute): 100
M-factor (chronic): 1

EC50 (Daphnia magna, 48 hours): 0.022 mg/l
NOEC (Algae, 72 h): 0.023 mg/l

12.2. Persistence and degradability

Degradability: The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation: Is not expected to be bioaccumulable.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: This product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting properties: The substance is not identified as having endocrine disrupting properties.

12.7. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 07 05 07 / 07 06 07

SAFETY DATA SHEET

Product name: FeF Strong Cetrime Solution 40% BP Pharma with ethanol Page: 9/11
Revision: 2019-11-05 Print date: 2022-11-03
SDS-ID: GB-EN/14.0

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN-No: 3082

14.2. UN proper shipping name

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Reaction mass of dodecyltrimethylammonium bromide and tetradonium bromide)

14.3. Transport hazard class(es)

Class: 9

14.4. Packing group

PG: III

14.5. Environmental hazards

Marine pollutant: Yes.

Environmentally Hazardous substance: Yes.

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

SAFETY DATA SHEET

Product name:	FeF Strong Cetrимide Solution 40% BP Pharma with ethanol	Page:	10/11
Revision:	2019-11-05	Print date:	2022-11-03
		SDS-ID:	GB-EN/14.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

National regulation: UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc. (Amendment) Regulations 2021.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 720), as amended.
The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.
European Union (Withdrawal) Act 2018, as amended.
EH40/2005, Workplace exposure limits 2005, with amendments.
The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242), with amendments.
The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: No chemical safety assessment has been carried out.

SAFETY DATA SHEET

Product name: FeF Strong Cetrime Solution 40% BP Pharma with ethanol Page: 11/11
Revision: 2019-11-05 Print date: 2022-11-03
SDS-ID: GB-EN/14.0

SECTION 16: OTHER INFORMATION

For restrictions on use see section 15.

The following sections contain revisions or new statements: 1, 3, 4, 11, 12, 15, 16.

Abbreviations and acronyms used in the safety data sheet: CSA= Chemical Safety Assessment.
EC50 = Effective Concentration 50%.
LD50 = Lethal Dose 50%.
M(ac) = M-factor acute toxicity.
M(chr) = M-factor chronic toxicity.
NOEC = No Observed Effect Concentration.
PBT = Persistent, Bioaccumulative and Toxic.
SCL = Specific Concentration Limit.
STOT = Specific Target Organ Toxicity.
vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to Regulation (EC) No. 1272/2008: Calculation method.

Wording of H-statements:

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H373c	May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.
